

FRESHWATER MUSSELS of KANSAS

Register of Taxa, Synonyms, and Assumed Misidentifications

Mark E. Eberle

Department of Biological Sciences, Fort Hays State University, Hays, Kansas 67601

Report Number 63, State Biological Survey of Kansas, Lawrence

21 November 1994

Revised (printed version): 2 October 1998

Latest internet version: 7 October 2016

Please send literature information for additions to Mark Eberle at meberle@fhsu.edu.

The literature on the mussels (Mollusca: Margaritiferidae and Unionidae) of Kansas includes a collection of names of species and subspecies that makes it difficult for even experienced malacologists to decipher which taxa actually were collected. Compounding this problem is the absence of voucher specimens for some of the studies conducted in the state. It is hoped that this list will aid those who are conducting research and want to assess their results with reference to the earlier accounts.

To accomplish this, the index can be useful in two ways. You can take the currently accepted name of a taxon to check for publications that included that name (listed under the name). Also listed are taxa that represent probable synonyms or assumed misidentifications (under "Synonyms"). Entries for each of these names will provide additional references that referred to the species by these other names. You also can start with the name of a taxon from one of the published references and find that name in the list. This will provide you with a scientific name that is currently recommended. Without checking voucher specimens, it is assumed that the author was referring to this species. Preferred common names are given with entries for the currently accepted scientific names.

This alphabetical list of valid taxa, synonyms, and assumed misidentifications of freshwater mussels of Kansas is drawn from the literature and not an examination of specimens. The primary references used to provide probable synonyms were those by Burch (1975), Cope (1979), Murray and Leonard (1962), and Oesch (1984). R. Angelo (Kansas Department of Health and Environment), W. Busby (Kansas Biological Survey), C. Cope and E. Miller (Kansas Department of Wildlife and Parks), D. Distler and D. Bleam (Wichita State University), D. Mulhern (U.S. Fish and Wildlife Service), and B. Obermeyer (Emporia State University) reviewed the register, and they offered corrections and helpful suggestions. Comments by Call (1885-1887) and Isely (1925) in their publications also were used, as were additional references noted in the list.

Recommended names of species and probable distributions of species in Kansas were taken from the summaries by Turgeon et al. (1988) and Williams et al. (1993), with updates from Campbell and Lydeard (2012) and Serb et al. (2003). Scientific and common names of species assumed to be extant or extirpated members of the Kansas fauna (44 species in the 1994 list; 49 in 2016) are highlighted in bold print.

Within the list, an equals sign (=) indicates that the first name given is not recognized as a valid taxon and is a synonym of the second name given. In some instances, a misidentification is assumed, with the second (or third) name given likely representing the specimen collected in Kansas. With molecular studies of species, genera, and higher taxa come possible changes in names assigned to Kansas species. Much confusion and debate remain, and this list takes a conservative approach until changes become widely accepted. Thus, subgenera that might be elevated to genera are sometimes listed, and notes of explanation are included with some species. Explanatory comments accompany several entries.

Studies continue to be published on the unionid mussels of Kansas, which prompts electronic revisions to this list. Of particular note is the summary by Angelo et al. (2009) of historical distributions and conservation status of the 48 recognized species of freshwater mussels in Kansas. Most species are declining as their aquatic habitats are altered. Also worthy of mention is the guide to Kansas mussels beautifully illustrated by Karen Couch (1997). The color illustrations are an invaluable aid in the identification of species in this group.

Actinonaias carinata (Barnes) = *Actinonaias ligamentina* (Lamarck) or possibly misidentified specimens of *Lampsilis rafinesqueana* Frierson. See comments under *Actinonaias ligamentina*.

- Branson (1966a, 1966c)
- Murray and Leonard (1962)
- Schuster (1979)

Actinonaias ellipsiformis (Conrad) = *Venustaconcha ellipsiformis* (Conrad)

- DuBois (1981)

***Actinonaias ligamentina* (Lamarck), MUCKET**

Might be misidentified specimens of *Lampsilis rafinesqueana* Frierson. Specimens from the Missouri River basin probably are *A. ligamentina*. Specimens from the Neosho/Spring River (Arkansas River) basin could be either species (see Mulhern et al., 2002).

- Angelo et al. (2009)
- Dorsey (2000)
- Liechti and Huggins (1977)
- Mulhern et al. (2002)
- Obermeyer et al. (1995)
- Schuster and DuBois (1979)
- Tiemann (2006)

Synonyms:

Actinonaias carinata (Barnes)
Actinonaias ligamentina carinata (Barnes)
Lampsilis ligamentina (Lamarck)
Lampsilis ligamentina gibba Simpson
Lampsilis powellii (I. Lea)
Lampsilis rafinesqueana Frierson
Unio ligamentina Lamarck
Unio powellii Lea

Actinonaias ligamentina carinata (Barnes) = *A. ligamentina* (Lamarck) or possibly misidentified specimens of *Lampsilis rafinesqueana* Frierson. See comments under *Actinonaias ligamentina*.

- Cope (1985)

***Alasmidonta marginata* Say, ELKTOE**

- Angelo et al. (2009)
- Branson (1966a, 1966c)
- Cope (1979, 1985)
- Distler and Bleam (1987)
- Liechti and Huggins (1977)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)

***Alasmidonta viridis* (Rafinesque), SLIPPERSHELL MUSSEL**

- Angelo et al. (2009)
- Bleam and Distler (1996)
- Obermeyer et al. (1997b)

Amblema costata Rafinesque = *Amblema plicata* (Say)

- Branson (1966a, 1966c)
- Franzen and Leonard (1943)
- Leonard and Leonard (1946)
- Wedel (1959)

Amblema peruviana (Lamarck) = *Amblema plicata* (Say)

- Branson (1966b)

***Amblema plicata* (Say), THREERIDGE**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- DuBois (1981)
- Hoke (1996, 1997, 2004, 2005)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1978)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller and Mosher (2008)
- Miller et al. (2014)
- Mosher (2007)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Amblema costata Rafinesque
Amblema peruviana (Lamarck)
Crenodonta peruviana (Lamarck)
Quadrula perplicata (Conrad)
Quadrula plicata (Say)
Quadrula undulata (Barnes)
Unio plicata Say
Unio undulatus Barnes

Anodonta arkansasensis I. Lea = probably misidentified specimens of *Strophitus undulatus* (Say). *Villosa arkansasensis* (I. Lea), OUACHITA CREEKSHELL, occurs only in Arkansas and Oklahoma (Williams et al. 1993)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Anodonta bealii I. Lea = *Pyganodon grandis* (Say)

- Call (1885b, 1885c, 1885d, 1887)

Anodonta danielsii I. Lea = *Pyganodon grandis* (Say)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)
- Scammon (1906)

Anodonta decora I. Lea = *Pyganodon grandis* (Say)

- Call (1887)

Anodonta dejecta Lewis = *Pyganodon grandis* (Say)?

- Call (1887)

Anodonta edentula Say = *Strophitus undulatus* (Say)

- Call (1885d, 1886, 1887) [as: *A. edentulata*]

Anodonta ferussaciana I. Lea = *Anodontoides ferussacianus* (I. Lea)

- Call (1885b, 1885c, 1887) [as: *Anodonta ferussacianus*]

Anodonta grandis Say = *Pyganodon grandis* (Say)

- Branson (1966a, 1966b, 1966c)
- Call (1885b, 1885c, 1885d, 1886, 1887)
- Clark and Gillette (1911)
- Cope (1983a, 1983b, 1985)
- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Franzen and Leonard (1943)
- Isely (1925)
- Leonard and Leonard (1946)
- Leonard (1943)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1966, 1970)
- Murray and Leonard (1962)
- Popenoe (1885)
- Scammon (1906)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Wedel (1959)

Anodonta imbecillis Say = *Utterbackia imbecillis* Say

- Branson (1966c)
- Call (1885d, 1886, 1887)
- Cope (1983a, 1983b, 1985)
- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Hoke (1996)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Murray and Leonard (1962)
- Scammon (1906)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)

Anodonta opaca I. Lea = *Pyganodon grandis* (Say)

- Scammon (1906)

Anodonta ovata I. Lea = *Pyganodon grandis* (Say)

- Call (1885c, 1885d)

Anodonta plana I. Lea = *Pyganodon grandis* (Say)

- Call (1885b, 1885d, 1887)

***Anodonta suborbiculata* Say, FLAT FLOATER**

- Angelo et al. (2009)
- Call (1885c, 1885d)
- Cope (1979, 1983b)
- Liechti and Huggins (1977)
- Murray and Leonard (1962)
- Obermeyer et al. (1997a)
- Scammon (1906)
- Schuster (1978)
- Schuster and DuBois (1979)

***Anodontoides ferussacianus* (I. Lea), CYLINDRICAL PAPERSHELL**

- Angelo et al. (2009)
- Bergman et al. (2000)
- Cope (1979)
- Dorsey (2000)
- Eberle, Ernsting, and Tomelleri (1986)
- Hoke (1996, 1997, 2004, 2005)
- Pilger and Gido (2012)
- Scammon (1906)
- Schuster and DuBois (1979)
- Sowards et al. (2016)
- Tiemann (2006)

Synonyms:

Anodonta ferussaciana I. Lea

***Arcidens confragosus* (Say), ROCK-POCKETBOOK**

- Angelo et al. (2009)
- Cope (1979)
- Hoke (1996)
- Mulhern et al. (2002)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Wolf and Stark (2008)

Carunculina parva (Barnes) = *Toxolasma parvus* (Barnes)

- Branson (1966c)
- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Franzen and Leonard (1943)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Murray and Leonard (1962)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Wedel (1959)

Crenodonta peruviana (Lamarck) [+ subspecies] = *Amblema plicata* (Say)

- Branson (1966c)
- Murray and Leonard (1962)

***Cumberlandia monodonta* (Say), SPECTACLECASE**

- Angelo et al. (2009)
- Mulhern et al. (2002)
- Wolf and Stark (2008)

***Cyclonaias tuberculata* (Rafinesque), PURPLE WARTYBACK**

NOTE: This species probably belongs in the genus *Quadrula* or in the genus *Rotundaria*, if *Quadrula* is divided.

- Angelo et al. (2009)
- Mulhern et al. (2002)
- Wolf and Stark (2008)

Note on synonyms: Murray and Leonard (1962) and Oesch (1984) listed *Unio tuberculata* Barnes as a synonym of *Tritogonia verrucosa* Rafinesque.

***Cyprogenia aberti* (Conrad), WESTERN FANSHELL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Branson (1966b)
- Combes and Edds (2005)
- Cope (1979, 1983a, 1985)
- Liechti and Huggins (1977)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Scammon (1906) [as: *C. aberti*]
- Schuster (1979)
- Serb (2006)
- Serb and Barnhart (2008)
- Wolf and Stark (2008)

Synonyms:

Unio aberti Conrad
Unio popenoi Call

Dysnomia triquetra (Rafinesque) = *Epioblasma triquetra* (Rafinesque)

- Murray and Leonard (1962)

***Ellipsaria lineolata* (Rafinesque), BUTTERFLY**

- Angelo et al. (2009)
- Bleam et al. (1998)
- Cope (1979)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Mulhern et al. (2002)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Wolf and Stark (2008)

Synonyms:

Plagiola lineolata (Rafinesque)
Plagiola securis (Lea)
Unio securis Lea

***Elliptio (Euryntia) dilatata* (Rafinesque), SPIKE**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Branson (1966a, 1966b, 1966c) [as: *E. dilatatus*]
- Combes and Edds (2005)
- Cope (1983a, 1985)
- DuBois (1981)
- Liechti and Huggins (1977) [as: *E. dilatatus*]
- Murray and Leonard (1962) [as: *E. dilatatus*]
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Schuster (1979) [as: *E. dilatatus*]
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Wedel (1959) [as: *E. dilatatus*]
- Wolf and Stark (2008)

Synonyms:

Unio gibbosus Barnes

***Epioblasma triquetra* (Rafinesque), SNUFFBOX**

- Angelo et al. (2009)
- Tiemann (2006)

Synonyms:

Dysnomia triquetra (Rafinesque)
Plagiola triquetra (Rafinesque)
Truncilla triquetra Rafinesque

Fusconaia ebena (I. Lea) = *Reginaia ebenus* (I. Lea)

***Fusconaia flava* (Rafinesque), WABASH PIGTOE**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Branson (1966a, 1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Quadrula rubiginosa (I. Lea)

Quadrula trigona (I. Lea)

Unio negatus I. Lea

Unio rubiginosa I. Lea

Unio trigonus I. Lea

***Fusconaia ozarkensis* (Call), OZARK PIGTOE**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Cope (1985)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b) [as: *Fusconaia* spp. represents the *Fusconaia flava* (Rafinesque, 1820) and *F. ozarkensis* (Call, 1887) complex.]

Lampsilis alatus (Say) = *Potamilus alatus* (Say)

- Scammon (1906) [as: *L. alata*]

Lampsilis anodontoides (I. Lea) = *Lampsilis teres* (Rafinesque)

- Branson (1966a, 1966c)
- Clark and Gillette (1911)
- Franzen and Leonard (1943)
- Isely (1925)
- Leonard and Leonard (1946)
- Miller (1978)
- Murray and Leonard (1962)
- Scammon (1906)
- Wedel (1959)

Lampsilis anodontoides fallaciosa Smith = *Lampsilis teres* (Rafinesque)

- Branson (1966c)
- Murray and Leonard (1962)

***Lampsilis cardium* (Rafinesque), PLAIN POCKETBOOK**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Combes and Edds (2005)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- Hoke (2004, 2005)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Lampsilis ovata Say

Lampsilis ovata ventricosa (Barnes)

Lampsilis ventricosa (Barnes)

Lampsilis ventricosa occidens (I. Lea)

Lampsilis ventricosa satura (I. Lea)

Unio occidens I. Lea

Unio satur I. Lea

Unio ventricosus Barnes

Lampsilis ellipsiformis (Conrad) = *Venustaconcha ellipsiformis* (Conrad)

- Scammon (1906)

Lampsilis fallaciosa (Smith) = *Lampsilis teres* (Rafinesque)

- Scammon (1906)
- Wedel (1959)

Lampsilis gracilis (Barnes) = *Leptodea fragilis* (Rafinesque)

- Isely (1925)
- Scammon (1906)

Lampsilis higginsii (I. Lea) = *Lampsilis abrupta* (Say)

Neither of these species is not documented from Kansas (Williams et al. 1993). See Oesch (1984:218-219). The identity of specimens reported from Kansas is unknown.

- Scammon (1906) [as: *L. higginsii*]

Lampsilis laevisissima (I. Lea) = *Potamilus ohioensis* (Rafinesque)

- Scammon (1906)

Lampsilis leptodon (Rafinesque) = *Leptodea leptodon* (Rafinesque)

- Scammon (1906)

Lampsilis ligamentina (Lamarck) = *Actinonaias ligamentina* (Lamarck) or possibly misidentified specimens of *Lampsilis rafinesqueana* Frierson

See comments under *Actinonaias ligamentina*.

- Isely (1925)
- Scammon (1906)

Lampsilis ligamentina gibba Simpson = *Actinonaias ligamentina* (Lamarck) or possibly misidentified *Lampsilis rafinesqueana* Frierson

- Scammon (1906)

Lampsilis luteolus Simpson = *Lampsilis siliquoidea* (Barnes)

- Branson (1966a, 1966b, 1966c)
- Isely (1925) [as: *L. luteola* (Lamarck)]
- Scammon (1906) [as: *L. luteola* (Lamarck)]

Lampsilis ovata (Say), POCKETBOOK = possibly misidentified specimens of *Lampsilis cardium* (Rafinesque). *Lampsilis ovata* occurs in the northeastern USA, but not in Kansas (Williams et al. 1993).

- Branson (1966a, 1966c)
- Metcalf (1980, 1983)

Lampsilis ovata ventricosa (Barnes) = possibly misidentified specimens of *Lampsilis cardium* (Rafinesque)

- DuBois (1981)
- Liechti and Huggins (1977)
- Miller (1978)
- Murray and Leonard (1962)
- Schuster (1979)
- Schuster and DuBois (1979)

Lampsilis parvus (Barnes) = *Toxolasma parvus* (Barnes)

- Isely (1925) [as: *L. parva*]
- Scammon (1906) [as: *L. parva*]

Lampsilis powelli (I. Lea) = possibly misidentified specimens of *Actinonaias ligamentina* (Lamarck) or *Lampsilis rafinesqueana* Frierson. *Lampsilis powelli* (I. Lea), ARKANSAS FATMUCKET, occurs only in Arkansas (Williams et al. 1993). See comments under *Actinonaias ligamentina*.

- Cope (1985)
- Scammon (1906)

Synonyms:

Unio powellii I. Lea

Lampsilis purpuratus (Lamarck) = *Potamilus purpuratus* (Lamarck)

- Isely (1925) [as: *L. purpurata*]
- Scammon (1906) [as: *L. purpurata*]

Lampsilis radiata luteola (Lamarck) = *Lampsilis siliquoidea* (Barnes)

- Cope (1985)
- Hoke (1996, 1997)
- Liechti and Huggins (1977)

Lampsilis radiata siliquoidea (Barnes) = *Lampsilis siliquoidea* (Barnes)

- Metcalf (1980, 1983)
- Murray and Leonard (1962)
- Schuster (1979)
- Schuster and DuBois (1979)

***Lampsilis rafinesqueana* Frierson, NEOSHO MUCKET**

See discussion by Cope (1979:15-19).

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1979, 1983a, 1985)
- Distler and Bleam (1995)
- Jones et al. (2006)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Wolf and Stark (2008)

Synonyms:

Actinonaias carinata (Barnes)

Actinonaias ligamentina (Lamarck)

Actinonaias ligamentina carinata (Barnes)

Lampsilis ligamentina (Lamarck)

Lampsilis ligamentina gibba Simpson

Lampsilis powelli (I. Lea)

Unio ligamentina Lamarck

Unio powellii Lea

Lampsilis rectus (Lamarck) = *Ligumia recta* (Lamarck)

- Isely (1925) [as: *L. recta*]
- Scammon (1906) [as: *L. recta*]

Lampsilis satur (I. Lea), SANDBANK POCKETBOOK

Lampsilis satur occurs in Arkansas, Oklahoma, and elsewhere, but not in Kansas (Williams et al. 1993). It has been reported from Kansas by the synonyms below, but these specimens are *Lampsilis cardium* (Rafinesque).

Synonyms:

Lampsilis ventricosa satura (I. Lea)

Unio satur I. Lea

***Lampsilis siliquoidea* (Barnes), FATMUCKET**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam and Distler (1996)
- Branson (1966a)
- Combes and Edds (2005)
- Franzen and Leonard (1943)
- Hoke (2004, 2005)
- Leonard and Leonard (1946)
- Miller (1978)
- Miller et al. (2014)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Tiemann (2006)
- Wedel (1959)
- Wolf and Stark (2008)

Synonyms:

Lampsilis luteolus Simpson
Lampsilis radiata luteola (Lamarck)
Lampsilis radiata siliquoidea (Barnes)
Unio luteola Lamarck

Lampsilis subrostratus (Say) = *Ligumia subrostrata* (Say)

- Isely (1925) [as: *L. subrostrata*]
- Scammon (1906) [as: *L. subrostrata*]

***Lampsilis teres* (Rafinesque), YELLOW SANDSHELL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1983a)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Hoke (1996, 1997, 2004, 2005)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Lampsilis anodontoides (I. Lea)
Lampsilis anodontoides fallaciosa Smith
Lampsilis fallaciosa (Smith)
Lampsilis teres anodontoides (I. Lea)
Unio anodontoides (I. Lea)

Lampsilis teres anodontoides (I. Lea) = *Lampsilis teres* (Rafinesque)

- Cope (1983b, 1985)
- Hoke (1997)

Lampsilis ventricosa (Barnes) = *Lampsilis cardium* (Rafinesque)

- Branson (1966b)
- Cope (1983a, 1985)
- Hoke (1996, 1997)
- Isely (1925)
- Leonard and Leonard (1946)
- Miller (1970)
- Miller (1992)
- Scammon (1906)

Lampsilis ventricosa occidentis (I. Lea) = *Lampsilis cardium* (Rafinesque)

- Kivett (1953)
- Wedel (1959)

Lampsilis ventricosa satura (I. Lea) = possibly misidentified specimens of *Lampsilis cardium* (Rafinesque)

Lampsilis satur (I. Lea), SANDBANK POCKETBOOK, does not occur in Kansas (Williams et al. 1993).

- Scammon (1906)

Synonyms:

Unio satur I. Lea

***Lasmigona complanata* (Barnes), WHITE HEELSPLITTER**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Branson (1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1983b, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Kivett (1953)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1966, 1970, 1978)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Margaritana complanata Barnes

Symphynota complanata (Barnes)

***Lasmigona compressa* (Lea), CREEK HEELSPLITTER**

- Angelo et al. (2009)
- Hoke (1996)

***Lasmigona costata* (Rafinesque), FLUTED-SHELL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Branson (1966a, 1966c)
- Combes and Edds (2005)
- Cope (1979, 1985)
- Liechti and Huggins (1977)
- Metcalf (1980)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)

Synonyms:

Margaritana rugosa (Barnes)

Symphynota costata (Rafinesque)

***Leptodea fragilis* (Rafinesque), FRAGILE PAPERSHELL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Branson (1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1997, 2004, 2005)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Sowards et al. (2016)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Lampsilis gracilis (Barnes)

Unio gracilis Barnes

Leptodea laevis (I. Lea) = *Potamilus ohiensis* (Rafinesque)

- Branson (1966c)
- Murray and Leonard (1962)

Leptodea leptodon (Rafinesque), SCALESHELL

Leptodea leptodon occurs in the eastern USA, including Missouri, Arkansas, and Oklahoma. It has not been confirmed from Kansas (Williams et al. 1993). It has been reported from Kansas by the synonyms given below, but the identity of these specimens is unknown.

Synonyms:

Lampsilis leptodon (Rafinesque)

Unio tenuissimus I. Lea

***Ligumia recta* (Lamarck), BLACK SANDSHELL**

- Angelo and Cringan (2003)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Branson (1966a)
- Combes and Edds (2005)
- Cope (1979, 1985)
- DuBois (1981)
- Hoke (2004, 2005)
- Liechti and Huggins (1977)
- Metcalf (1980)
- Miller (1966, 1970) [as: *Ligumia* cf *L. recta*]
- Miller et al. (2014)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Lampsilis rectus (Lamarck)

Ligumia recta latissima (Rafinesque)

Unio recta Lamarck

Ligumia recta latissima (Rafinesque) = *Ligumia recta* (Lamarck)

- Branson (1966c)
- Murray and Leonard (1962)

***Ligumia subrostrata* (Say), PONDMUSSEL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam and Distler (1996)
- Branson (1966a, 1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Distler and Bleam (1995)
- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Sowards et al. (2016)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Lampsilis subrostratus (Say)

Unio subrostratus Say

Unio topekensis I. Lea

Margaritana complanata Barnes = *Lasmigona complanata* (Barnes)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Margaritana rugosa (Barnes) = *Lasmigona costata* (Rafinesque)

- Call (1886, 1887)
- Popenoe (1885)

Megalonaias gigantea (Barnes) = *Megalonaias nervosa* (Rafinesque)

- Liechti and Huggins (1977)
- Murray and Leonard (1962)
- Schuster (1979)
- Schuster and DuBois (1979)

***Megalonaias nervosa* (Rafinesque), WASHBOARD**

- Angelo et al. (2009)
- Bleam et al. (1998)
- Cope (1983a)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Sherraden-Chance and Edds (2004)
- Vanleeuwen and Arruda (2001)
- Wolf and Stark (2008)

Synonyms:

Megalonaias gigantea (Barnes)
Quadrula heros (Say)
Unio multiplicatus I. Lea

***Obliquaria reflexa* Rafinesque, THREEHORN WARTYBACK**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1983a)
- Dean et al. (2002)
- Isely (1925)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1978) [as: cf. *Obliquaria reflexa*]
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Scammon (1906)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Wedel (1959)
- Wolf and Stark (2008)

Synonyms:

Unio cornutus Barnes

Obovaria ellipsis (I. Lea) = *Obovaria olivaria* (Rafinesque)

- Scammon (1906)

***Obovaria (Pseudoon) olivaria* (Rafinesque), HICKORYNUT**

- Angelo et al. (2009)
- Bergman et al. (2000)
- Cope (1979)
- Distler and Bleam (1995)
- Hoke (1997, 2004, 2005)
- Kivett (1953)
- Murray and Leonard (1962)
- Wedel (1959)

Synonyms:

Obovaria ellipsis (I. Lea)
Unio ellipsis I. Lea
Unio pealii I. Lea

Plagiola donaciformis (I. Lea) = *Truncilla donaciformis* (I. Lea)

- Baker (1909)
- Isely (1925)
- Scammon (1906)

Plagiola elegans (I. Lea) = *Truncilla truncata* (Rafinesque)

- Isely (1925)
- Scammon (1906)

Plagiola lineolata (Rafinesque) = *Ellipsaria lineolata* (Rafinesque)

- Cope (1983a)
- Murray and Leonard (1962)

Plagiola securis (Lea) = *Ellipsaria lineolata* (Rafinesque)

- Isely (1925)
- Scammon (1906)

Plagiola triquetra (Rafinesque) = *Epioblasma triquetra* (Rafinesque)

- Cope (1979)

Plethobasus cicatricosus (Say), WHITE WARTYBACK

Plethobasus cicatricosus occurs in the Ohio River basin, but not in Kansas (Williams et al. 1993). It has been reported from Kansas by the synonym below, but the identity of these specimens is unknown.

Synonyms:

Pleurobema cicatricosum (Say)

Plethobasus cyphus (Rafinesque), SHEEPNOSE

It is questionable whether this species occurs in Kansas (see Schuster 1979), although Williams et al. (1993) listed Kansas in its distribution. One of the specimens of Scammon (1906), illustrated in Murray and Leonard (1962), is *Quadrula quadrula* (Schuster 1979); the identity of specimens listed by Branson (1966a, 1966c) is unknown. Oesch (1984) showed only one record (pre-1920) from western Missouri.

- Branson (1966a, 1966c) [as: *P. cypha*]
- Cope (1979)
- Liechti and Huggins (1977)
- Murray and Leonard (1962) [= *Quadrula quadrula* (Rafinesque)]
- Scammon (1906) [= *Quadrula quadrula* (Rafinesque)]
- Schuster (1979)
- Schuster and DuBois (1979)

Synonyms:

Pleurobema aesopus (Green)

Pleurobema aesopus (Green) = *Plethobasus cyphus* (Rafinesque)

- Scammon (1906)

Pleurobema cicatricosum (Say) = *Plethobasus cicatricosus* (Say)

- Scammon (1906)

Pleurobema coccineum (Conrad) = *Pleurobema sintoxia* (Rafinesque)

- Bleam et al. (1998)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Wedel (1959)

Pleurobema coccineum solida (Lea) = *Pleurobema sintoxia* (Rafinesque)

- Wedel (1959)

Pleurobema cordatum (Rafinesque), OHIO PIGTOE = misidentified specimens of *Pleurobema sintoxia* (Rafinesque). *Pleurobema cordatum* occurs in the eastern USA, but not in Kansas (Williams et al. 1993).

- Branson (1966a, 1966b)
- DuBois (1981)
- Schuster (1979)
- Schuster and DuBois (1979)

Pleurobema cordatum catillus (Conrad) = *Pleurobema sintoxia* (Rafinesque)

- Branson (1966c)
- Liechti and Huggins (1977)
- Miller (1970, 1978)
- Murray and Leonard (1962)

Pleurobema cordatum coccineum (Conrad) = *Pleurobema sintoxia* (Rafinesque)

- Branson (1966c)
- Murray and Leonard (1962)

Pleurobema cordatum pyramidatum (I. Lea) = probably misidentified specimens of *Pleurobema sintoxia* (Rafinesque)

- Branson (1966c)
- Liechti and Huggins (1977)
- Murray and Leonard (1962)

Synonyms:

Quadrula pyramidata (I. Lea)

Unio pyramidatus I. Lea.

***Pleurobema (Sintoxia) sintoxia* (Rafinesque), ROUND PIGTOE**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Pleurobema coccineum (Conrad)

Pleurobema coccineum solida (Lea)

Pleurobema cordatum Rafinesque

Pleurobema cordatum catillus (Conrad)

Pleurobema cordatum coccineum (Conrad)

Pleurobema cordatum pyramidatum (I. Lea)

Quadrula coccinea (Conrad)

Quadrula plena (I. Lea)

Quadrula pyramidata (I. Lea)

Quadrula solida (I. Lea)

Unio coccineus Conrad

Unio plenus I. Lea

Unio pyramidatus I. Lea

Unio solidus I. Lea

Pleurobema pyramidatum (I. Lea), PYRAMID PIGTOE

Pleurobema pyramidatum does not occur in Kansas (Williams et al. 1993). It has been reported from Kansas by the synonyms given below. Specimens from Kansas actually are *Pleurobema sintoxia* (Rafinesque), ROUND PIGTOE.

Synonyms:

Pleurobema cordatum pyramidatum (I. Lea)

Quadrula pyramidata (I. Lea)

Unio pyramidatus I. Lea.

Potamilus alatus (Say), PINK HEELSPLITTER

- Angelo et al. (2009)
- Bergman et al. (2000)
- Combes and Edds (2005)
- Dorsey (2000)
- Hoke (2004, 2005)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Pilger and Gido (2012)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Lampsilis alatus (Say)
Proptera alata (Say)
Proptera alata megaptera (Rafinesque)
Unio alatus Say

Potamilus capax (Green), FAT POCKETBOOK

This species apparently has been misidentified from specimens of *Potamilus purpuratus* in Kansas. See Schuster and DuBois (1979). *Potamilus capax* occurs in Iowa, Missouri, Arkansas, and Oklahoma (Williams et al. 1993).

Synonyms:

Proptera capax (Green)

Potamilus laevissima (I. Lea) = Potamilus ohioensis (Rafinesque)

- Cope (1983a)

Potamilus ohioensis (Rafinesque), PINK PAPERSHELL

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1983b, 1985)
- Distler and Bleam (1995)
- Dorsey (2000)
- Hoke (1996, 1997, 2004, 2005)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sherraden-Chance and Edds (2004)
- Sowards et al. (2016)
- Tiemann (2006)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Lampsilis laevissima (I. Lea)
Leptodea laevissima (I. Lea)
Potamilus laevissima (I. Lea)
Proptera laevissima (I. Lea)
Unio laevissimus I. Lea

Potamilus purpuratus (Lamarck), BLEUFER

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Hoke (2005)
- Miller (1992)
- Miller and Lynott (2006)
- Miller and Mosher (2008)
- Miller et al. (2014)
- Mosher (2007)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sherraden-Chance and Edds (2004)
- Vanleeuwen and Arruda (2001)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Lampsilis purpuratus (Lamarck)
Proptera capax (Green)
Proptera purpurata (Lamarck)
Unio ater I. Lea
Unio purpurata Lamarck

Proptera alata (Say) = Potamilus alatus (Say)

- Branson (1966b)
- DuBois (1981)
- Franzen and Leonard (1943)
- Liechti and Huggins (1977)
- Murray and Leonard (1962)
- Schuster (1979)
- Schuster and DuBois (1979)

Proptera alata megaptera (Rafinesque) = Potamilus alatus (Say)

- Wedel (1959)

Proptera capax (Green) = probably misidentified specimens of Potamilus purpuratus (Lamarck). See comments under Potamilus capax.

- Cope (1979)
- Liechti and Huggins (1977)
- Murray and Leonard (1962)
- Schuster and DuBois (1979)
- Wedel (1959)

Proptera laevis (I. Lea) = *Potamilus ohioensis* (Rafinesque)

- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Liechti and Huggins (1977)
- Metcalf (1980)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Wedel (1959)

Proptera purpurata (Lamarck) = *Potamilus purpuratus* (Lamarck)

- Branson (1966c)
- DuBois (1981)
- Leonard and Leonard (1946) [as: *Proptera* cf *purpurata*]
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Murray and Leonard (1962)
- Schuster (1979)
- Schuster and DuBois (1979)
- Wedel (1959)

Ptychobranthus clintonensis Simpson = *Ptychobranthus occidentalis* (Conrad)

- Scammon (1906) [as: *P. clintonense*]

Ptychobranthus fasciolaris (Rafinesque), KIDNEYSHELL = probably misidentified specimens of *Ptychobranthus occidentalis* (Conrad). *Ptychobranthus fasciolaris* occurs in the eastern USA, but not in Kansas (Williams et al. 1993).

- Branson (1966a, 1966c)
- Murray and Leonard (1962) [as: *P. fasciolare*]

***Ptychobranthus occidentalis* (Conrad), OUACHITA KIDNEYSHELL**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1979, 1983a, 1985)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Schuster (1979)
- Schuster and DuBois (1979)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Ptychobranthus clintonensis Simpson
Ptychobranthus fasciolaris (Rafinesque)
Ptychobranthus phaseolus (Hildreth)
Unio phaseolus Hildreth

Ptychobranthus phaseolus (Hildreth) = *Ptychobranthus occidentalis* (Conrad)

- Isely (1925)
- Scammon (1906)

***Pyganodon grandis* (Say), GIANT FLOATER**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam and Distler (1996)
- Combes and Edds (2005)
- Distler and Bleam (1995)
- Dorsey (2000)
- Hoke (1997, 2004, 2005)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sherraden-Chance and Edds (2004)
- Sowards et al. (2016)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Anodonta bealii I. Lea
Anodonta danielsii I. Lea
Anodonta decora I. Lea
Anodonta dejecta Lewis
Anodonta grandis Say
Anodonta opaca I. Lea
Anodonta ovata I. Lea
Anodonta plana I. Lea

Quadrula asper (I. Lea) = *Quadrula quadrula* (Rafinesque)

- Scammon (1906) [as: *Q. aspera*]

Quadrula coccinea (Conrad) = *Pleurobema sintoxia* (Rafinesque)

- Baker (1909)
- Scammon (1906)

***Quadrula (Theliderma) cylindrica* (Say), RABBITSFOOT**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Cope (1979, 1985)
- Isely (1925)
- Liechti and Huggins (1977)
- Miller et al. (2014)
- Mulhern et al. (2002)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Scammon (1906)
- Schuster (1979)
- Schuster and DuBois (1979)

Synonyms:

Unio cylindricus Say

Quadrula ebenus (l. Lea) = *Fusconaia ebena* (l. Lea)

- Scammon (1906)

***Quadrula (Quadrula) fragosa* (Conrad), WINGED MAPLELEAF**

- Angelo et al. (2009)
- Bleam et al. (1998)
- Cope (1985:39)
- Hoke (1997, 2004, 2005)
- Scammon (1906)

Synonyms:

Unio fragosus Conrad

Quadrula heros (Say) = *Megaloniais nervosa* (Rafinesque)

- Isely (1925)
- Scammon (1906)

Quadrula houstonensis (l. Lea) , SMOOTH PIMPLEBACK = possibly misidentified specimens of *Quadrula pustulosa* (l. Lea). *Quadrula houstonensis* occurs only in Texas (Williams et al. 1993). Murray and Leonard (1962) assumed the Kansas specimens were misidentified specimens of *Q. pustulosa*.

- Scammon (1906)

Synonyms:

Unio houstonensis l. Lea

Quadrula lacrymosa (l. Lea) = *Quadrula quadrula* (Rafinesque)

- Baker (1909) [as: *Q. lacrymosa*]
- Clark and Gillette (1911) [as: *Q. lacrymosa*]
- Isely (1925) [as: *Q. lacrymosa*]
- Scammon (1906) [as: *Q. lacrymosa*]

***Quadrula (Theliderma) metanevra* (Rafinesque),**

MONKEYFACE

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Isely (1925)
- Liechti and Huggins (1977)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller and Mosher (2008)
- Miller and Obermeyer (1997)
- Miller et al. (2014)
- Mosher (2007)
- Mulhern et al. (2002)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Scammon (1906)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Spicer et al. (2007)
- Vanleeuwen and Arruda (2001)
- Wolf and Stark (2008)

Synonyms:

Unio metanevrus (Rafinesque)

Quadrula nobilis (Conrad) = *Quadrula quadrula* (Rafinesque)

- Isely (1925) [also as: *Tritogonia nobilis* (Conrad)]

***Quadrula (Rotundaria) nodulata* (Rafinesque), WARTYBACK**

- Angelo et al. (2009)
- Branson (1966a, 1966c)
- Cope (1979, 1983a, 1985)
- Liechti and Huggins (1977)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Vanleeuwen and Arruda (2001)
- Wolf and Stark (2008)

Synonyms:

Quadrula pustulata (I. Lea)

Unio pustulatus I. Lea

Quadrula perplicata (Conrad) = *Amblema plicata* (Say)

- Scammon (1906)

Quadrula petrina (Gould), TEXAS PIMPLEBACK

Quadrula petrina occurs only in Texas (Williams et al. 1993). Specimens reported from Kansas are *Quadrula pustulosa* (I. Lea).

Synonyms:

Unio petrinus Gould

Quadrula plena (I. Lea) = *Pleurobema sintoxia* (Rafinesque)?

- Scammon (1906)

Quadrula plicata (Say) = *Amblema plicata* (Say)

- Scammon (1906)

Quadrula pustulata (I. Lea) = *Quadrula nodulata* (Rafinesque)

- Scammon (1906)

***Quadrula (Rotundaria) pustulosa* (I. Lea), PIMPLEBACK**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Baker (1909)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Branson (1966a, 1966c)
- Clark and Gillette (1911)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Isely (1925)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1978)
- Miller (1992)
- Miller (1993)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Scammon (1906)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Spicer et al. (2007)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Quadrula houstonensis (I. Lea)

Quadrula petrina (Gould)

Quadrula pustulosa prasina (Conrad)

Unio dorfeuillianus I. Lea

Unio houstonensis I. Lea

Unio petrinus Gould

Unio pustulosus I. Lea

Unio schoolcraftii I. Lea

Unio sphaericus I. Lea

Quadrula pustulosa prasina (Conrad) = *Quadrula pustulosa* (I. Lea)

- Wedel (1959)

Quadrula pyramidata (I. Lea) = probably misidentified specimens of *Pleurobema sintoxia* (Rafinesque). See comments under *Pleurobema pyramidatum* (I. Lea), PYRAMID PIGTOE.

- Isely (1925)
- Scammon (1906)

Synonyms:

Pleurobema cordatum pyramidatum (I. Lea)
Unio pyramidatus I. Lea

***Quadrula (Quadrula) quadrula* (Rafinesque), MAPLELEAF**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam et al. (1998)
- Branson (1966a, 1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1983b, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Eberle, Ernsting, and Tomelleri (1986)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Kivett (1953)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1966, 1970, 1978)
- Miller (1992)
- Miller and Lynott (2006)
- Miller and Mosher (2008)
- Miller et al. (2014)
- Mosher (2007)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Sowards et al. (2016)
- Spicer et al. (2007)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Plethobasus cyphus (Rafinesque)
Quadrula asper (I. Lea)
Quadrula fragosa (Conrad)
Quadrula lacrymosa (I. Lea)
Quadrula nobilis (Conrad)
Quadrula speciosa (I. Lea)
Unio asperrimus I. Lea
Unio fragosus Conrad
Unio lacrymosus I. Lea

Quadrula rubiginosa (I. Lea) = *Fusconaia flava* (Rafinesque)

- Baker (1909)
- Isely (1925)
- Scammon (1906)

Quadrula solida (I. Lea) = *Pleurobema sintoxia* (Rafinesque)

- Scammon (1906)

Quadrula speciosa (I. Lea) = *Quadrula quadrula* (Rafinesque)

- Scammon (1906)

Quadrula trigona (I. Lea) = *Fusconaia flava* (Rafinesque)

- Scammon (1906)

Quadrula undulata (Barnes) [and subspecies] = *Amblema plicata* (Say)

- Baker (1909)
- Isely (1925)
- Scammon (1906)

Reginaia ebenus (I. Lea) [= *Fusconaia ebena*], EBONYSHELL

This species has been reported from the eastern USA, including Oklahoma, Arkansas, and Missouri. It has not been documented as occurring in Kansas (Williams et al. 1993). It has been reported from Kansas by the synonyms given below, but the identity of these specimens is unknown.

Synonyms:

- *Quadrula ebenus* (I. Lea)
- *Quadrula plena* (I. Lea)
- *Unio ebana* I. Lea
- *Unio plenus* I. Lea

Strophitus edentulus (Barnes) = *Strophitus undulatus* (Say)

- Isely (1925)
- Scammon (1906)

Strophitus rugosus (Swainson) = *Strophitus undulatus* (Say)

- Branson (1966a, 1966b, 1966c)
- Franzen and Leonard (1943)
- Miller (1970)
- Murray and Leonard (1962)
- Wedel (1959)

***Strophitus undulatus* (Say), CREEPER**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam and Distler (1996)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Hoke (1996, 1997, 2004, 2005)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Tiemann (2006)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Anodonta arkansasensis I. Lea

Anodonta edentula Say

Strophitus edentulus (Barnes)

Strophitus rugosus (Swainson)

Symphynota complanata (Barnes) = *Lasmigona complanata* (Barnes)

- Clark and Gillette (1911)
- Isely (1925)
- Scammon (1906)

Symphynota costata (Rafinesque) = *Lasmigona costata* (Rafinesque)

- Scammon (1906)

***Toxolasma lividus* (Rafinesque), PURPLE LILLIPUT**

- Obermeyer et al. (1997b)

***Toxolasma parvus* (Barnes), LILLIPUT**

- Angelo et al. (2009)
- Bergman et al. (2000)
- Combes and Edds (2005)
- Cope (1983b, 1985)
- Distler and Bleam (1995)
- Dorsey (2000)
- Hoke (1996, 1997, 2004, 2005)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sowards et al. (2016)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Carunculina parva (Barnes)

Lampsilis parvus (Barnes)

Unio parvus Barnes

Tritogonia tuberculata (Barnes) = *Tritogonia verrucosa* (Rafinesque)

- Clark and Gillette (1911)
- Isely (1925)
- Scammon (1906)

Synonyms:

Unio tuberculata (Barnes)

***Tritogonia verrucosa* (Rafinesque), PISTOLGRIP**

NOTE: This taxon is closely related to the genus *Quadrula*, and *Tritogonia* is sometimes considered a subgenus of *Quadrula*.

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bergman et al. (2000)
- Branson (1966a, 1966b, 1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1997, 2004, 2005)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Tritogonia tuberculata (Barnes)

Unio tuberculata Barnes

Truncilla donaciformis (I. Lea), FAWNSFOOT

- Angelo et al. (2007)
- Angelo et al. (2009)
- Bleam et al. (1998)
- Branson (1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Dean et al. (2002)
- Distler and Bleam (1995)
- Franzen and Leonard (1943)
- Hoke (1997, 2005)
- Liechti and Huggins (1977)
- Metcalf (1980)
- Miller (1992)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer (1997)
- Obermeyer (1998)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1979)
- Schuster and DuBois (1979)
- Sherraden-Chance and Edds (2004)
- Tiemann (2006)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Plagiola donaciformis (I. Lea)
Unio donaciformis (I. Lea)
Unio zigzag I. Lea

Truncilla triquetra Rafinesque = *Epioblasma triquetra* (Rafinesque)

- Scammon (1906)

Truncilla truncata Rafinesque, DEERTOEF

- Angelo et al. (2009)
- Bleam et al. (1998)
- Branson (1966c)
- Combes and Edds (2005)
- Cope (1983a, 1985)
- Hoke (1996, 2004, 2005)
- Leonard and Leonard (1946)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller and Lynott (2006)
- Miller et al. (2014)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Schuster (1979)
- Schuster and DuBois (1979)
- Tiemann (2006)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Plagiola elegans (I. Lea)
Unio elegans I. Lea

Unio aberti Conrad = *Cyprogenia aberti* (Conrad)

- Call (1887)

Unio alatus Say = *Potamilus alatus* (Say)

- Call (1885b, 1885d, 1887)
- Popenoe (1885)

Unio anodontoides (I. Lea) = *Lampsilis teres* (Rafinesque)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Unio asperrimus I. Lea = *Quadrula quadrula* (Rafinesque)

- Call (1885d, 1887)
- Popenoe (1885)

Unio ater I. Lea = *Potamilus purpuratus* (Lamarck)

- Popenoe (1885)

Unio camptodon Say = *Uniomerus tetralasmus* (Say)

- Call (1885b, 1885c, 1885d, 1887)

Unio coccineus Conrad = *Pleurobema sintoxia* (Rafinesque)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Unio cornutus Barnes = *Obliquaria reflexa* Rafinesque

- Call (1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Unio cylindricus Say = *Quadrula cylindrica* (Say)

- Call (1885b, 1885d)
- Popenoe (1885)

Unio donaciformis (I. Lea) = *Truncilla donaciformis* (I. Lea)

- Call (1885b, 1885c, 1886, 1887)
- Popenoe (1885)

Unio dorfeuillianus I. Lea = *Quadrula pustulosa* (I. Lea)

- Call (1885b)

Unio ebena I. Lea = *Fusconaia ebena* (I. Lea)

- Call (1885b, 1885d) [as: *U. ebenus*]

- Unio elegans* I. Lea = *Truncilla truncata* Rafinesque
- Call (1885b, 1885c, 1885d, 1886, 1887)
 - Popenoe (1885)
- Unio ellipsis* I. Lea = *Obovaria olivaria* (Rafinesque)
- Call (1885b)
 - Popenoe (1885)
- Unio fragosus* Conrad = *Quadrula fragosa* (Conrad)
- Call (1885c, 1885d, 1886, 1887)
 - Popenoe (1885)
- Unio gibbosus* Barnes = *Elliptio dilatata* (Rafinesque)
- Call (1885c, 1885d, 1886, 1887)
 - Isely (1925)
 - Popenoe (1885)
- Unio gracilis* Barnes = *Leptodea fragilis* (Rafinesque)
- Call (1885b, 1885c, 1885d, 1886, 1887)
 - Popenoe (1885)
- Unio houstonensis* I. Lea = probably misidentified specimens of *Quadrula pustulosa* (I. Lea). See comments under *Quadrula houstonensis* (I. Lea), SMOOTH PIMPLEBACK.
- Call (1885c)
- Synonyms:**
Quadrula houstonensis (I. Lea)
- Unio lacrymosus* I. Lea = *Quadrula quadrula* (Rafinesque)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. lacrymosus*]
- Unio laevisimus* I. Lea = *Potamilus ohioensis* (Rafinesque)
- Call (1885b, 1885d, 1886, 1887)
 - Popenoe (1885)
- Unio ligamentina* Lamarck = *Actinonaias ligamentina* (Lamarck) or possibly misidentified specimens of *Lampsilis rafinesqueana* Frierson. See comments under *Actinonaias ligamentina*.
- Call (1885, 1885d, 1886, 1887) [as: *U. ligamentinus*]
 - Popenoe (1885) [as: *U. ligamentinus*]
- Unio luteola* Lamarck = *Lampsilis siliquoides* (Barnes)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. luteolus*]
 - Popenoe (1885) [as: *U. luteolus*]
- Unio metanevrus* (Rafinesque) = *Quadrula metanevra* (Rafinesque)
- Call (1885c, 1885d, 1886, 1887)
 - Popenoe (1885)
- Unio multiplicatus* I. Lea = *Megalonaias nervosa* (Rafinesque)
- Call (1886, 1887)
 - Popenoe (1885)
- Unio negatus* I. Lea = *Fusconaia flava* (Rafinesque)
- Call (1887)
- Unio occidens* I. Lea = *Lampsilis cardium* (Rafinesque)
- Call (1885c, 1885d, 1887)
- Unio parvus* Barnes = *Toxolasma parvus* (Barnes)
- Call (1885b, 1885c, 1885d, 1887)
 - Popenoe (1885)
- Unio pealii* I. Lea = *Obovaria olivaria* (Rafinesque)
- Call (1885b, 1885c, 1886)
- Unio petrinus* Gould = possibly misidentified specimens of *Quadrula pustulosa* (I. Lea). *Quadrula petrina* (Gould), TEXAS PIMPLEBACK, occurs only in Texas (Williams et al. 1993).
- Call (1885c, 1885d, 1886)
- Unio phaseolus* Hildreth = *Ptychobranthus occidentalis* (Conrad)
- Call (1885c, 1885d, 1886)
 - Popenoe (1885)
- Unio plenus* I. Lea = *Pleurobema sintoxia* (Rafinesque)?
- Call (1885d)
- Unio plicata* Say = *Amblema plicata* (Say)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. plicatus*]
- Unio popenoi* Call = *Cyprogenia aberti* (Conrad)
- Call (1885a, 1885b, 1886, 1887)
 - Popenoe (1885)
- Unio powellii* I. Lea = *Actinonaias ligamentina* (Lamarck) or = possibly misidentified specimens of *Lampsilis rafinesqueana* Frierson. *Lampsilis powelli* (I. Lea), ARKANSAS FATMUCKET, occurs only in Arkansas (Williams et al. 1993). See comments under *Actinonaias ligamentina*.
- Call (1887)
- Synonyms:**
Lampsilis powelli (I. Lea)
- Unio purpurata* Lamarck = *Potamilus purpuratus* (Lamarck)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. purpuratus*]
- Unio pustulatus* I. Lea = *Quadrula nodulata* (Rafinesque)
- Call (1885d, 1886, 1887)
- Unio pustulosus* I. Lea = *Quadrula pustulosa* (I. Lea)
Call (1885b, 1885c, 1885d, 1886, 1887)
Popenoe (1885)
- Unio pyramidatus* I. Lea = possibly misidentified specimens of *Pleurobema sintoxia* (Rafinesque). *Pleurobema pyramidatum* (I. Lea), PYRAMID PIGTOE, does not occur in Kansas (Williams et al. 1993).
- Call (1885c)
- Synonyms:**
Pleurobema cordatum pyramidatum (I. Lea)
Quadrula pyramidata (I. Lea)
- Unio recta* Lamarck = *Ligumia recta* (Lamarck)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. rectus*]
 - Popenoe (1885) [as: *U. rectus*]
- Unio rubiginosa* I. Lea = *Fusconaia flava* (Rafinesque)
- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. rubiginosus*]
 - Popenoe (1885) [as: *U. rubiginosus*]

Unio satur I. Lea = possibly misidentified specimens of *Lampsilis cardium* (Rafinesque). *Lampsilis satur* (I. Lea), SANDBANK POCKETBOOK, does not occur in Kansas (Williams et al. 1993).

- Call (1886) [= *Unio occidentis*]

Synonyms:

Lampsilis ventricosa satura (I. Lea)

Unio schoolcraftii I. Lea = *Quadrula pustulosa* (I. Lea)

- Call (1887)

Unio securis Lea = *Ellipsaria lineolata* (Rafinesque)

- Call (1885c, 1887)
- Popenoe (1885)

Unio solidus I. Lea = *Pleurobema sintoxia* (Rafinesque)

- Call (1885c, 1886, 1887)
- Popenoe (1885)

Unio spatulatus I. Lea = *Venustaconcha ellipsiformis* (Conrad)

- Call (1886)

Unio sphaericus I. Lea = *Quadrula pustulosa* (I. Lea)

- Call (1886, 1887)

Unio subrostratus Say = *Ligumia subrostrata* (Say)

- Call (1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Unio tenuissimus I. Lea = *Leptodea leptodon* (Rafinesque)

- Call (1885c)

Unio tetralasmus Say [and subspecies] = *Uniomerus tetralasmus* (Say)

- Baker (1909)
- Isely (1925)
- Scammon (1906)

Unio topekensis I. Lea = *Ligumia subrostrata* (Say)

- Call (1885b, 1885c) [as: *U. topekaensis*]
- Popenoe (1885) [as: *U. topekaënsis*]

Unio trigonus I. Lea = *Fusconaia flava* (Rafinesque)

- Call (1886, 1887)

Unio tuberculata Barnes = *Tritogonia verrucosa* (Rafinesque)

- Call (1885b, 1885c, 1885d, 1886, 1887) [as: *U. tuberculatus*]
- Popenoe (1885) [as: *U. tuberculatus*]

Synonyms:

Tritogonia tuberculata (Barnes)

Unio undulatus Barnes = *Amblema plicata* (Say)

- Call (1885b, 1885c, 1885d, 1886, 1887)
- Popenoe (1885)

Unio ventricosus Barnes = *Lampsilis cardium* (Rafinesque)

- Call (1885b)
- Popenoe (1885)

Unio zigzag I. Lea = *Truncilla donaciformis* (I. Lea)

- Call (1885b, 1887)

***Uniomerus tetralasmus* (Say), PONDHORN**

- Angelo et al. (2007)
- Angelo et al. (2009)
- Basch et al. (1961)
- Bergman et al. (2000)
- Branson (1966b, 1966c)
- Cope (1985)
- Distler and Bleam (1995)
- Dorsey (2000)
- DuBois (1981)
- Franzen and Leonard (1943)
- Hoke (1996, 1997, 2004, 2005)
- Huggins and Moss (1974)
- Leonard and Leonard (1946)
- Leonard (1943)
- Liechti and Huggins (1977)
- Metcalf (1980, 1983)
- Miller (1966, 1970)
- Murray and Leonard (1962)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Schuster (1978, 1979)
- Schuster and DuBois (1979)
- Sowards et al. (2016)
- Tiemann (2006)
- Vanleeuwen and Arruda (2001)
- Wedel (1959)
- Welch et al. (2011)
- Wolf and Stark (2008)

Synonyms:

Unio camptodon Say

Unio tetralasmus Say

***Utterbackia imbecillis* Say, PAPER POND SHELL**

- Angelo et al. (2009)
- Bergman et al. (2000)
- Bleam and Distler (1996)
- Combes and Edds (2005)
- Distler and Bleam (1995)
- Hoke (1996, 1997, 2005)
- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)
- Obermeyer et al. (1997b)
- Pilger and Gido (2012)
- Sowards et al. (2016)
- Tiemann (2006)
- Wolf and Stark (2008)

Synonyms:

Anodonta imbecillis Say

***Venustaconcha ellipsiformis* (Conrad), ELLIPSE**

V. ellipsiformis occurs the Marais des Cygnes drainage of Kansas. Specimens from the Spring River basin presently are identified as *V. ellipsiformis*, but might be a new species.

- Angelo et al. (2009)
- Cope (1985)
- Obermeyer et al. (1997b)

Synonyms:

Actinonaias ellipsiformis (Conrad)

Lampsilis ellipsiformis (Conrad)

Unio spatulatus I. Lea

Venustaconcha pleasi (Marsh)

Villosa iris (Lea)

***Venustaconcha pleasi* (Marsh), BLEEDINGTOOTH**

Venustaconcha pleasi does not occur in Kansas. See *Venustaconcha ellipsiformis* (Conrad).

- Obermeyer et al. (1995)
- Obermeyer et al. (1997a)

***Villosa arkansasensis* (I. Lea), OUACHITA CREEKSHELL**

Villosa arkansasensis occurs only in Arkansas and Oklahoma (Williams et al. 1993). Kansas specimens are *Strophitus rugosus* (Swainson).

Synonyms:

Anodonta arkansasensis I. Lea

Villosa iris (Lea), RAINBOWSHELL = possibly misidentified specimens of *Venustaconcha ellipsiformis* (Conrad).

Villosa iris is not known to occur in Kansas.

- Cope (1979)
- Schuster and DuBois (1979)

Literature for Kansas Mussel Data

1. Angelo, R.T., and M.S. Cringan. 2003. Rediscovery of the Black Sandshell, *Ligumia recta* (Lamarck, 1819), in Kansas. *Transactions of the Kansas Academy of Science* 106:111–113.
2. Angelo, R.T., M.S. Cringan, D.L. Chamberlain, A.J. Stahl, S.G. Haslouer, and C.A. Goodrich. 2007. Residual effects of lead and zinc mining on freshwater mussels in the Spring River basin (Kansas, Missouri, and Oklahoma, USA). *Science of the Total Environment* 384:467–496.
3. Angelo, R.T., M.S. Cringan, E. Hays, C.A. Goodrich, E.J. Miller, M.A. VanScoyoc, and B.R. Simmons. 2009. Historical changes in the occurrence and distribution of freshwater mussels in Kansas. *Great Plains Research* 19:89–126.
4. Baker, F.C. 1909. Mollusks from Kansas and Oklahoma. *Nautilus* 23:91–94.
5. Basch, P.F., P. Bainer, and J. Wilhm. 1961. Some ecological characteristics of the molluscan fauna of a typical grassland situation in east central Kansas. *American Midland Naturalist* 66:178–199.
6. Bergman, S.M., M.E. Eberle, and B.K. Obermeyer. 2000. Freshwater mussels (Bivalvia: Unionoidea) in streams of northwestern Kansas. *Prairie Naturalist* 32:1–15.
7. Bleam, D.E., C.H. Cope, K.J. Couch, and D.A. Distler. 1998. The Winged Mapleleaf, *Quadrula fragosa* (Conrad 1835) in Kansas. *Transactions of the Kansas Academy of Science* 101:35–38.
8. Bleam, D.E., and D.A. Distler. 1996. Occurrence of the Slippershell, *Alasmidonta viridis* (Rafinesque, 1820), from the Marais des Cygnes River system in Kansas. *Transactions of the Kansas Academy of Science* 99:61–63.
9. Branson, B.A. 1966a. *Alasmidonta marginata* and *Ptychobranthus fasciolaris* in Kansas. *Nautilus* 80:21–24.
10. Branson, B.A. 1966b. Unionid records from Kansas, Arkansas, and Louisiana. *Sterkiana* 23:7–8.
11. Branson, B.A. 1966c (published in 1967). A partial survey of the Spring River in Kansas, Oklahoma, and Missouri, part I: collecting sites, basic limnological data, and mollusks. *Transactions of the Kansas Academy of Science* 69:242–293.
12. Busby, W.H., and G. Horak. 1993. Unionid mussels in Kansas: overview of conservation efforts and harvest regulations. Pages 50–55 in K.S. Cummings, A.C. Buchanan, and L.M. Koch, editors. *Conservation and management of freshwater mussels. Proceedings of a UMRCC symposium, 12–14 October 1992, St. Louis, MO.* Upper Mississippi River Conservation Committee, Rock Island, Illinois.
13. Call, R.E. 1885a. Description of a new species of *Unio* from Kansas. *Bulletin of the Washburn College Laboratory of Natural History* 1:48.
14. Call, R.E. 1885b. Contributions to a knowledge of the fresh-water Mollusca of Kansas, I: fresh-water bivalves. *Bulletin of the Washburn College Laboratory of Natural History* 1:49–51.
15. Call, R.E. 1885c. Contributions to a knowledge of the fresh-water Mollusca of Kansas, III: fresh-water bivalves. *Bulletin of the Washburn College Laboratory of Natural History* 1:93–97.
16. Call, R.E. 1885d. Contributions to a knowledge of the freshwater Mollusca of Kansas, IV. *Bulletin of the Washburn College Laboratory of Natural History* 1:115–124.
17. Call, R.E. 1886. Fifth contribution to a knowledge of the fresh-water Mollusca of Kansas. *Bulletin of the Washburn College Laboratory of Natural History* 1:177–184.
18. Call, R.E. 1887. Sixth contribution to a knowledge of the fresh-water Mollusca of Kansas. *Bulletin of the Washburn College Laboratory of Natural History* 2:11–25.
19. Campbell, D.C., and C. Lydeard. 2012. The genera of Pleurobemini (Bivalvia: Unionidae: Ambleminae). *American Malacological Bulletin* 30:19–38.
20. Clark, H.W., and G.H. Gillette. 1911. Some observations made on Little River, near Wichita, Kansas, with reference to the Unionidae. *Proceedings of the Biological Society of Washington* 24:63–68.
21. Combes, M., and D. Edds. 2005. Mussel assemblages upstream from three Kansas reservoirs. *Journal of Freshwater Ecology* 20:139–148.
22. Cope, C.H. 1979. Survey on the Unionidae considered for conservation status in Kansas. Report to Kansas Department of Wildlife and Parks, Emporia.
23. Cope, C.H. 1983a. Assessment of commercial [freshwater mussel] fishing beds in Kansas. Report to National Marine Fisheries Service and Kansas Department of Wildlife and Parks, Project Number 2-378-R.
24. Cope, C.H. 1983b. Investigation of the heel-splitter mussel, *Anodonta suborbiculata* Say, 1831, an endangered species in Kansas. Report to Kansas Department of Wildlife and Parks, Emporia, Contract Number 77.
25. Cope, C.H. 1985. Assessment of unionid mussel beds in the Spring River basin. Report to Kansas Department of Wildlife and Parks, Emporia, Contract Number 40.
26. Dean, J. D. Edds, D. Gillette, J. Howard, S. Sherraden, and J. Tiemann. 2002. Effects of lowhead dams on freshwater mussels in the Neosho River, Kansas. *Transactions of the Kansas Academy of Science* 105:232–240.
27. Distler, D.A., and D.E. Bleam. 1987. Records of two invertebrate species in Kansas. *Transactions of the Kansas Academy of Science* 90:158.
28. Distler, D.A., and D.E. Bleam. 1995. Decline in the diversity of Bivalvia, Ninescah River, Kansas. *Transactions of the Kansas Academy of Science* 98:156–159.
29. Dorsey, R. 2000. Archeological interpretation of freshwater mussel assemblages near the Solomon River, Kansas. *Central Plains Archeology* 8:13–23.

30. DuBois, M.B. 1981. Additions and corrections to the freshwater mussel fauna from Kansas (Pelecypoda: Eumellibranchia: Unionidae). Technical Publications of the State Biological Survey of Kansas 10:89–94.
31. Eberle, M.E., G.W. Ernsting, and J.R. Tomelleri. 1986. Aquatic macroinvertebrates and fishes of Big Creek in Trego, Ellis, and Russell counties, Kansas. Transactions of the Kansas Academy of Science 89:146–151.
32. Franzen, D.S., and A.B. Leonard. 1943. The Mollusca of the Wakarusa River valley. University of Kansas Science Bulletin 29:363–439.
33. Hoke, E. 1996. The unionid mollusks of the Big and Little Nemaha river basins of southeastern Nebraska and northeastern Kansas. Transactions of the Nebraska Academy of Sciences 23:37–57.
34. Hoke, E. 1997. The unionid mollusks of the upper Kansas Basin of northwestern Kansas and southwestern Nebraska. Transactions of the Nebraska Academy of Sciences 24:35–62.
35. Hoke, E. 2004. The freshwater mussels (Mollusca: Bivalvia: Unionidae) of the Little Blue River drainage of northeastern Kansas and southeastern Nebraska. Transactions of the Nebraska Academy of Sciences 29:7–24.
36. Hoke, E. 2005. The freshwater mussels (Mollusca: Bivalvia: Unionidae) of the Big Blue River basin of northeastern Kansas and southeastern Nebraska. Transactions of the Nebraska Academy of Sciences 30:33–57.
37. Huggins, D.G., and R.E. Moss. 1974. Fish population structure in altered and unaltered areas of a small Kansas stream. Transactions of the Kansas Academy of Science 77:18–30.
38. Isely, F.B. 1925. The fresh-water mussel fauna of eastern Oklahoma. Proceedings of the Oklahoma Academy of Science (for 1924) 4:43–118.
39. Jones, J.S., E.M. Hallerman, and R.J. Neves. 2006. Genetic management guidelines for captive propagation of freshwater mussels (Unionoidea). Journal of Shellfish Research 25:527–535.
40. Kivett, M.F. 1953. The Woodruff ossuary, a prehistoric burial site in Phillips County, Kansas. Smithsonian Institution, Bureau of American Ethnology, Bulletin 154, River Basin Survey Paper Number 3.
41. Leonard, A.B., and A.E. Leonard. 1946. Mollusca from Greenwood County, Kansas. University of Kansas Science Bulletin 31:115–122.
42. Leonard, A.E. 1943. The Mollusca of Meade and Clark counties, Kansas. Transactions of the Kansas Academy of Science 46:226–240.
43. Liechti, P.M., and D.G. Huggins. 1977. Unionacean mussels of Kansas. Technical Publications of the State Biological Survey of Kansas 4:17–30.
44. Metcalf, A.L. 1980. Unionacean mussels, past and present, from six streams in Kansas and Oklahoma. Transactions of the Kansas Academy of Science 83:1–19.
45. Metcalf, A.L. 1983. Mortality in unionacean mussels in a year of drought. Transactions of the Kansas Academy of Science 86:89–92.
46. Miller, B.B. 1966. Five Illinoian molluscan faunas from the southern Great Plains. Malacologia 4:173–260.
47. Miller, B.B. 1970. The Sandahl molluscan fauna (Illinoian) from McPherson County, Kansas. Ohio Journal of Science 70:39–50.
48. Miller, B.B. 1978. A radiocarbon-dated (Wisconsinan) molluscan fauna from southeastern Kansas. Journal of Paleontology 52:993–1000.
49. Miller, B.B., and C.W. Hibbard. 1972. Recent Mollusca of Ellsworth County, Kansas. Sterkiana 46:11–14.
50. Miller, E.J. 1992. Evaluation of Verdigris River freshwater mussel refuge in 1991. Report to Kansas Department of Wildlife and Parks, Emporia.
51. Miller, E.J. 1993. Evaluation of Verdigris River, Kansas, freshwater mussel refuge. Pages 56–60 in K.S. Cummings, A.C. Buchanan, and L.M. Koch, editors. Conservation and Management of Freshwater Mussels. Proceedings of a UMRCC Symposium, 12–14 October 1992, St. Louis, Missouri. Upper Mississippi River Conservation Committee, Rock Island, Illinois.
52. Miller, E.J., and S.T. Lynott. 2006. Increase in unionid mussel populations in the Verdigris River, Kansas, from 1991 to 2003. Southeastern Naturalist 5:383–392.
53. Miller, E.J., and T.D. Mosher. 2008. Commercial harvest and status of a freshwater mussel (*Threeridge Amblema plicata*) in Kansas. Transactions of the Kansas Academy of Science 111:118–124.
54. Miller, E.J., and B.K. Obermeyer. 1997. Population increase of *Quadrula metanevra* in southeast Kansas. Pages 30–36 in K.S. Cummings, A.C. Buchanan, C.A. Mayer, and T.J. Naimo, editors. Conservation and Management of Freshwater Mussels II. Proceedings of a UMRCC Symposium, 16–18 October 1995, St. Louis, Missouri. Upper Mississippi River Conservation Committee, Rock Island, Illinois.
55. Miller, E.J., J.J. Tomasic, and M.C. Barnhart. 2014. A comparison of freshwater mussels (Unionidae) from a Late-Archaic archeological excavation with recently sampled Verdigris River, Kansas, populations. American Midland Naturalist 171:16–26.
56. Mosher, T.D. 2007. Review of freshwater mussel harvest in Kansas 1992–2002. Transactions of the Kansas Academy of Science 110:69–72.
57. Mulhern, D.W., B.K. Obermeyer, and R.T. Angelo. 2002. Recent distributional records for freshwater mussels in Kansas. Transactions of the Kansas Academy of Science 105:241–245.
58. Murray, H.D., and A.B. Leonard. 1962. Handbook of unionid mussels in Kansas. University of Kansas Museum of Natural History Miscellaneous Publication Number 28:1–184.
59. Obermeyer, B.K. 1997. An evaluation of the Neosho River, Kansas, mussel refuge. Journal of Freshwater Ecology 12:445–452.

60. Obermeyer, B.K. 1998. A comparison of quadrats versus timed snorkel searches for assessing freshwater mussels. *American Midland Naturalist* 139:331–339.
61. Obermeyer, B.K., D.R. Edds, E.J. Miller, and C.W. Prophet. 1997a. Range reduction of southeast Kansas unionids. Pages 108–116 in K.S. Cummings, A.C. Buchanan, C.A. Mayer, and T.J. Naimo, editors. *Conservation and Management of Freshwater Mussels II. Proceedings of a UMRCC Symposium, 16–18 October 1995, St. Louis, Missouri*. Upper Mississippi River Conservation Committee, Rock Island, Illinois.
62. Obermeyer, B.K., D.R. Edds, and C.W. Prophet. 1995. Distribution and abundance of federal "candidate" mussels (Unionidae) in southeastern Kansas. Final Report, Contract Number 36, Kansas Department of Wildlife and Parks, Emporia.
63. Obermeyer, B.K., D.R. Edds, C.W. Prophet, and E.J. Miller. 1997b. Freshwater mussels (Bivalvia: Unionidae) in the Verdigris, Neosho, and Spring river basins of Kansas and Missouri, with emphasis on species of concern. *American Malacological Bulletin* 14:41–55.
64. Pilger, T.J., and K.B. Gido. 2012. Variation in unionid assemblages between streams and a reservoir within the Kansas River basin. *American Midland Naturalist* 167:356–365.
65. Popenoe, E.A. 1885. List of Unionidae, collected in Kansas rivers, with localities. *Transactions of the Kansas Academy of Science* 9:78–79.
66. Scammon, R.E. 1906. The Unionidae of Kansas, part I: an illustrated catalogue of the Kansas Unionidae. *University of Kansas Science Bulletin* 3:279–373, plates 52–85.
67. Schuster, G.A. 1978. The current status of *Anodonta suborbiculata* (heel-splitter mussel) in Kansas. *Reports of the State Biological Survey of Kansas* 22:1–9.
68. Schuster, G.A. 1979. Notes on the freshwater mussel fauna of the Verdigris River system in Kansas. *Transactions of the Kansas Academy of Science* 82:11–24.
69. Schuster, G.A., and M.B. DuBois. 1979. Additional new records of freshwater mussels (Bivalvia: Unionidae) from Kansas. *Technical Publications of the State Biological Survey of Kansas* 8:1–11.
70. Serb, J.M. 2006. Discovery of genetically distinct sympatric lineages in the freshwater mussel *Cyprogenia aberti* (Bivalvia: Unionidae). *Journal of Molluscan Studies* 72:425–434.
71. Serb, J.M., and M.C. Barnhart. 2008. Congruence and conflict between molecular and reproductive characters when assessing biological diversity in the Western Fanshell *Cyprogenia aberti* (Bivalvia, Unionidae). *Annals of the Missouri Botanical Garden* 95:248–261.
72. Sherraden-Chance, S.A., and D.R. Edds. 2004. Mussel assemblages in a developing oxbow and a newly-cut channel of the Neosho River, Kansas. *American Midland Naturalist* 152:347–359.
73. Sowards, B.J., Ryan L. Pinkall, W.L. Fleming, J.R. Hofmeier, and W.J. Stark. 2016. Kansas freshwater mussel populations of the upper Saline and Smoky Hill rivers with emphasis on the status of the Cylindrical Papershell (*Anodointoides ferussacianus*). *Transactions of the Kansas Academy of Science* 119:325–335.
74. Spicer, J.F., Jr., R.J. Sobieski, and S.S. Crupper. 2007. Testing a non-lethal DNA isolation technique for freshwater mussels that is compatible with polymerase chain reaction (PCR) based studies. *Transactions of the Kansas Academy of Science* 110:30–34.
75. Tiemann, J.S. 2006. Freshwater mussel (Bivalvia: Unionidae) survey of the Wakarusa River basin, Kansas. *Transactions of the Kansas Academy of Science* 109:221–230.
76. Vanleeuwen, D.J., and J.A. Arruda. 2001. A survey of unionid mussels in six tributaries of the lower Neosho River (Kansas). *Transactions of the Kansas Academy of Science* 104:164–177.
77. Warren, R.E. 1974. Pre-Columbian unionacean (Mollusca, Pelecypoda) distribution in north-central Kansas. *Proceedings of the Nebraska Academy of Sciences and Affiliated Societies* 84: 17.
78. Wedel, W.R. 1959. An introduction to Kansas archeology. *Smithsonian Institution, Bureau of American Ethnology, Bulletin* 174.
79. Welch, W.G., C.H. Cope, D.A. Distler, and M.A. Schneegurt. 2011. Surveys of live unionid mussels in the urban reach of the Little Arkansas River separated by thirty years. *Transactions of the Kansas Academy of Science* 114:249–257.
80. Wolf, C., and B. Stark. 2008. Survey of freshwater mussels (Bivalvia: Unionoidea) in the Marais des Cygnes River, Fall River, and Grouse Creek. *Transactions of the Kansas Academy of Science* 111:1–20.

Regional and General References

- Bleam, D.E., K.J. Couch, and D.A. Distler. 1999. Key to the unionid mussels of **Kansas**. Transactions of the Kansas Academy of Science 102:83–91.
- Branson, B.A. 1982. The mussels (Unionacea: Bivalvia) of **Oklahoma**, part 1: the Ambleminae. Proceedings of the Oklahoma Academy of Science 62:38–45.
- Branson, B.A. 1983. The mussels (Unionacea: Bivalvia) of **Oklahoma**, part 2: the Unioninae, Pleurobemini, and Anodontini. Proceedings of the Oklahoma Academy of Science 63:49–59.
- Branson, B.A. 1984. The mussels (Unionacea: Bivalvia) of **Oklahoma**, part 3: the Lampsilini. Proceedings of the Oklahoma Academy of Science 64:20–36.
- Burch, J.B. 1975. Freshwater unionacean clams (Mollusca: Pelecypoda) of **North America**. Malacological Publications, Hamburg, Michigan.
- Clarke, A.H. 1981. The tribe Alasmidontini (Unionidae: Anodontinae), Part I: *Pegias*, *Alasmidonta*, and *Arcidens*. Smithsonian Contributions to Zoology Number 326:1–101.
- Clarke, A.H. 1985. The tribe Alasmidontini (Unionidae: Anodontinae), Part II: *Lasmigona* and *Simpsonaias*. Smithsonian Contributions to Zoology Number 399:1–75.
- Couch, K.J. 1997. An illustrated guide to the unionid mussels of **Kansas**. Privately published, Olathe, Kansas.
- Cummings, K.S., and C.A. Mayer. 1992. Field guide to freshwater mussels of the **Midwest**. Illinois Natural History Survey Manual 5:1–194.
- Cvancara, A.M. 1970. Illustrated key to the genera and species of **North Dakota** mussels. University of North Dakota, Contribution from the Institute for Ecological Studies, Number 3:1–13.
- Fuller, S.L.H. 1974. Clams and mussels (Mollusca: Bivalvia). Pages 215–273 in C.W. Hart and S.L.H. Fuller, editors. Pollution ecology of freshwater invertebrates. Academic Press, New York.
- Graf, D.L., and K.S. Cummings. 2007. Review of the systematics and global diversity of freshwater mussel species (Bivalvia: Unionoida). Journal of Molluscan Studies 73:291–314.
- Harris, J.L., and M.E. Gordon. 1990. **Arkansas** mussels. Arkansas Game and Fish Commission, Little Rock.
- Harrold, M.N., and R.P. Guralnick. *no date* (≥2005). A field guide to the freshwater mollusks of **Colorado**. Colorado Division of Wildlife, Denver,
- Hoke, E. 1995. A survey and analysis of the unionid mollusks of the **Platte rivers of Nebraska** and their minor tributaries. Transactions of the Nebraska Academy of Sciences 22:49–72.
- Howells, R.G., R.W. Neck, and H.D. Murray. 1996. Freshwater mussels of **Texas**. Texas Parks and Wildlife Department, Inland Fisheries Division, Austin.
- Miller, E.J., K.J. Couch, and J. Mason. 2008. A pocket guide to **Kansas** freshwater mussels. Great Plains Nature Center, Wichita, Kansas.
- Oesch, R.D. 1984 (revised 1995). **Missouri** naiads. Missouri Department of Conservation, Jefferson City.
- Parmalee, P.W., and A.E. Bogan. 1998. The freshwater mussels of **Tennessee**. University of Tennessee Press, Knoxville.
- Serb, J.M., J.E. Buhay, and C. Lydeard. 2003. Molecular systematics of the North American freshwater bivalve genus *Quadrula* (Unionidae: Ambleminae) based on mitochondrial ND1 sequences. Molecular Phylogenetics and Evolution 28:1–11.
- Turgeon, D.D., et al. 1988. Common and scientific names of aquatic invertebrates from the **United States and Canada**: mollusks. American Fisheries Society Special Publication 16, Bethesda, Maryland.
- Utterback, W.I. 1915–1916. The naiades of **Missouri**. American Midland Naturalist 4:41–53, 97–152, 181–204, 244–273 (1915); 311–327, 339–354, 387–400, 432–464 (1916); plates 1–27.
- Watters, G.T., M.A. Hoggarth, and D.H. Stansbery. 2009. The freshwater mussels of **Ohio**. Ohio State University Press, Columbus.
- Williams, J.D., M.L. Warren, Jr., K.S. Cummings, J.L. Harris, and R.J. Neves. 1993. Conservation status of freshwater mussels of the **United States and Canada**. Fisheries 18 (9):6–22.
- Wu, S.-K. 1989. **Colorado** freshwater mollusks. University of Colorado Museum, Natural History Inventory of Colorado, Number 11:1–117.