ADMISSION APPLICATION FORM TIGER TOTS NURTURY CENTER FORT HAYS STATE UNIVERSITY

Child's Name Last	First	Age in Mo (By Septen				Sex A/F
Child's Address	S					
Mother's Name	Last Fi	rst]	Father's	Name	Last	First
Address		A	ldress			
Place of Employ	yment	Pla	ce of Em	ployment_		
Phone: Home_ Cell Phone:		Ph	one: Ho	ome	_Office_	
Parental Status	: (check one) Couple Pa	arent	Singl	e Parent	
FHSU Student	Classification		SO time	JR Part-ti		GR
Faculty	Staff					
Child's Daily E. Full-day enroll	M-F	M-W-l	F T-	Th		
Half-day enrollment (up to 4.5 hours) M-F M-W-F T-Th						
Schedule of Hours	: Monday Tuesday Wednesda Thursday Friday	ny	to to to to	<u> </u>		
Monthly Family I	ncome: (check	one up to am	ounts liste	d below)		
	\$300 per mo \$700 per mo			\$500 per moi \$900+ per m		

OFFICE USE ONLY:	Date Enrolled
	End Date

PLEASE NOTE: All of the above questions must be answered for the enrollment of each child through the admission's priority rankings.

- Tiger Tots enrolls children who have reached the age of 30 months.
- Children need to be toilet trained prior to admittance.

The following immunizations are required:

Immunization	Comments			
Diphtheria, Tetanus,	Dose 4: 15-18 months (4 th dose may be given at			
Pertussis	12 months provided at least 6 months after			
(DTaP/DT/Td/Tdap)	dose 3)			
Polio	Dose 3: 6 months, final dose must be given 6 months after 3rd dose, after 4 years of age and prior to Kindergarten entry.			
Measles, Mumps, Rubella (MMR)	Dose 1: 12-15 months and Dose 2: prior to Kindergarten entry.			
Varicella (chicken pox)	Dose 1: 12-15 months and Dose 2: prior to Kindergarten entry.			
Haemophilus influenzae type b (Hib)	Dose 4: 12-15 months of age.			
Hepatitis A (HEP A)	Dose 2: 6-18 months after dose 1. Children 24 months and older who have not received any doses must receive 2 doses spaced 6 months apart.			
Hepatitis B (HEP B)	Dose 3: 6-18 months of age.			
Pneumococcal conjugate (PCV):	Dose 4: 12-15 months of age.			
Rotavirus	Three doses <u>recommended</u> for < 8 months of age; not required.			
Influenza	Annual vaccination <u>recommended</u> for all ages >6 months of age			

Consideration for admission to the Center will be based on a first come-first serve basis. Tiger Tots is a non-discriminatory child care center in regard to race, color, religion, national origin, ancestry, physical handicap, or sex, in accordance with K.S.A. 44-1009.

Immunization requirements and recommendations for the 2016-2017 school year are based on the Advisory Committee on Immunization Practices (ACIP) recommendations. The current immunization schedules, including catch up schedules, may be found at: http://www.cdc.gov/vaccines/schedules/hcp/child-adolescent.html. The best disease prevention is achieved by adhering to the recommended schedule however, if a child falls behind, the minimum interval schedule must be enforced. To avoid missed opportunities, immunization providers may use a 4 day grace period per age and interval between doses. In such cases, these doses may be counted as valid.

K.A.R. 28-1-20 defines immunizations required for children attending child care facilities licensed by KDHE or early childhood programs operated by schools. The complete regulation is available at

http://www.kdheks.gov/immunize/download/KS Imm Regs for School and Childcare.pdf.

- **Diphtheria, Tetanus, Pertussis (DTaP):** Five doses <u>required</u>. Doses given at: Dose 1: 2 months, Dose 2: 4 months, Dose 3: 6 months, Dose 4: 15-18 months (4thdose may be given at 12 months provided at least 6 months after dose 3) and Dose 5: prior to Kindergarten entry. Four doses are acceptable if Dose 4 is given after age 4 years.
- Poliomyelitis (IPV/OPV): Four doses <u>required</u>. Dose 1: 2 months, Dose 2: 4 months, Dose 3: 6 months, final dose must be given 6 months after 3rd dose, after 4 years of age and prior to Kindergarten entry. Three doses are acceptable with one dose after 4 years of age, 6 months between 2nd and 3rd dose and final dose prior to Kindergarten entry.
- Measles, Mumps, and Rubella: Two doses <u>required</u>. Dose 1: 12-15 months and Dose 2: prior to Kindergarten entry. Minimum age is 12 months of age and interval between doses may be as short as 28 days.
- **Hepatitis B:** Three doses <u>required</u>. Dose 1: given at birth, Dose 2: 2 months, and <u>Dose 3: 6-18 months of age.</u>
- Varicella (chickenpox): Two doses <u>required</u>. Dose 1: 12-15 months and Dose 2: prior to Kindergarten entry. Minimum age is 12 months of age and interval between doses may be as short as 28 days. Children less than 13 years of age are recommended to have a 3 month interval between doses however; second dose is valid when administered 28 day after first dose. No doses required when student has history of varicella disease documented by a licensed physician.
- Haemophilus influenzae type b (Hib): Four doses <u>required</u> for children less than 5 years of age. Doses 1 given at 2 months, Dose 2: 4 months, Dose 3: 6 months and <u>Dose 4: 12-15</u> months of age. Total doses needed for series completion is dependent on the type of vaccine administered and the age of the child when doses were given.
- Pneumococcal conjugate (PCV): Four doses <u>required</u> for children less than 5 years of age. Dose 1 given at 2 months, Dose 2: 4 months, Dose 3: 6 months, and <u>Dose 4: 12-15 months</u> of age. Total doses needed dependent on the age of the child when doses were given.
- Hepatitis A: Two doses <u>required</u> for children less than 5 years of age. Dose 1: 12 -23 months of age, Dose 2: 6-18 months after dose 1. Children 24 months and older who have not received any doses must receive 2 doses spaced 6 months apart. Legal alternatives to school vaccination requirements are found at K.S.A. 72-5209 In addition, to the immunizations required for children attending child care facilities licensed by KDHE and early childhood programs operated by schools, other vaccine recommendations are:
- Rotavirus: Three doses <u>recommended</u> for < 8 months of age; not required.
- Influenza: Annual vaccination <u>recommended</u> for all ages > 6 months of age; number of doses is dependent on age and number of doses given in previous years. Vaccination efforts by school and public health officials, immunization providers and parents are key to the success of protecting our children and communities from vaccine preventable disease. Thank you for your dedication.